

İhaleye teklif sunan ve geçerli teklif olarak belirlenen iki isteklinin teklif bedelinin sırasıyla yaklaşık maliyetten %47 ve %37 daha düşük olduğu idarece yaklaşık maliyet hesap cetvelinde yer alan bütün fiyatların piyasa rayiçlerini yansıttığı kabul edilerek ihale sürecine devam edildiği aşırı düşük teklif açıklamaları uygun bulunarak teklifinin geçerli olduğunun açıkça beyan edildiği, daha sonra komisyon kararında söz konusu isteklinin teklifinin cari fiyatın çok üzerinde

olduğunun belirtildiği, ancak “cari fiyat” hususuna dayanak herhangi bir açıklama ya da verinin ortaya konulmadığı tespit edilmiş olup, somut dayanak olmaksızın kaynakların verimli kullanılması ilkesinin sağlanamadığı gerekçesi ile ihalenin iptal edilmesinin kamu ihale mevzuatı kapsamında idareye tanınan takdir yetkisi kapsamında değerlendirilemeyeceği

Toplantı No	: 2022/056
Gündem No	: 15
Karar Tarihi	: 30.11.2022
Karar No	: 2022/UH.I-1485

The diagram is a complex, multi-layered structure, likely a hierarchical chart or organizational chart. It features a central vertical axis with numerous horizontal branches extending to the left and right. The branches are labeled with text, which is mostly illegible due to the low resolution. The diagram is enclosed in a rectangular frame with a thick black border. The overall appearance is that of a technical or administrative drawing.